SECTION 1 - PRODUC	T AND COMPANY IDENTIFICATION
	CLEANER DISINFECTANT TOWELS WITH BLEACH DATE: September 9, 2011 er :k
TRADE NAME: Dispatch® Hospital Cleaner Disinfectant Towels With Bleach GENERAL USE: Hospital Disinfectant CHEMICAL FAMILY: Sodium Hypochlorite PRODUCT DESCRIPTION: Bleach disinfectant formula absorbed on towels. Mild bleach	DISPATCH [®] HOSPITAL CLEANER DISINFECTANT TOWELS WITH BLEACH
MANUFACTURER	DATE PREPARED: September 9, 2011
Clorox Professional Products Company ADDRESS (NUMBER, STREET, P.O. BOX) 1221 Broadway (CITY, STATE AND ZIP CODE) Oakland, CA 94612 COUNTRY USA	SUPERSEDES: July 10, 2009 TELEPHONE NUMBER FOR INFORMATION/Customer Service (510) 271-7000 For Medical Emergencies, call: (800) 446-1014 For Medical Emergencies, call: (800) 446-1014 For Transportation Emergencies, call Chemtrec: (800) 424-9300
SECTION 2 - H	AZARDOUS INGREDIENTS
Hazardous Components	% (by Weight) CAS #
Sodium hydroxide Sodium metasilicate Sodium hypochlorite	<0.09 0.00 <0.2%
	HAZARDS IDENTIFICATION
SECTION 3-1	
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released.	produce irritation. Do not allow this product to contact acidic materials as hazardou
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released. POTENTIAL HEALTH EFFECTS	
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released. POTENTIAL HEALTH EFFECTS INHALATION: No adverse effects are anticipated from inhalation. SKIN:	produce irritation. Do not allow this product to contact acidic materials as hazardou
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released. POTENTIAL HEALTH EFFECTS INHALATION: No adverse effects are anticipated from inhalation.	produce irritation. Do not allow this product to contact acidic materials as hazardou
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released. POTENTIAL HEALTH EFFECTS INHALATION: No adverse effects are anticipated from inhalation. SKIN: Normal exposure (contact) is not likely to cause significant skin irr EYES:	produce irritation. Do not allow this product to contact acidic materials as hazardou
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released. POTENTIAL HEALTH EFFECTS INHALATION: No adverse effects are anticipated from inhalation. SKIN: Normal exposure (contact) is not likely to cause significant skin irr EYES: Causes moderate eye irritation. INGESTION:	produce irritation. Do not allow this product to contact acidic materials as hazardou
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released. POTENTIAL HEALTH EFFECTS INHALATION: No adverse effects are anticipated from inhalation. SKIN: Normal exposure (contact) is not likely to cause significant skin irr EYES: Causes moderate eye irritation. INGESTION: May cause gastrointestinal irritation and upset. CARCINOGENICITY: NTP? No CALIFORNIA, Prop. 65? No	produce irritation. Do not allow this product to contact acidic materials as hazardou
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released. POTENTIAL HEALTH EFFECTS INHALATION: No adverse effects are anticipated from inhalation. SKIN: Normal exposure (contact) is not likely to cause significant skin irr EYES: Causes moderate eye irritation. INGESTION: May cause gastrointestinal irritation and upset. CARCINOGENICITY: NTP? No CALIFORNIA, Prop. 65? No	PHS? No OSHA REGULATED? No OSHA REGULATED? No OSHA REGULATED? No
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released. POTENTIAL HEALTH EFFECTS INHALATION: No adverse effects are anticipated from inhalation. SKIN: Normal exposure (contact) is not likely to cause significant skin irr EYES: Causes moderate eye irritation. INGESTION: May cause gastrointestinal irritation and upset. CARCINOGENICITY: NTP? No CALIFORNIA, Prop. 65? No SECTION 4 INHALATION: No specific treatment, suspected hazard by this route is minimal. Treatment based on judgment of the physician in response to rea EYES:	PHS? No OSHA REGULATED? No OSHA REGULATED? No OSHA REGULATED? No
EMERGENCY OVERVIEW Avoid contact with eyes, skin, and clothing as this product may p chlorine gas may be released. POTENTIAL HEALTH EFFECTS INHALATION: No adverse effects are anticipated from inhalation. SKIN: Normal exposure (contact) is not likely to cause significant skin irr EYES: Causes moderate eye irritation. INGESTION: May cause gastrointestinal irritation and upset. CARCINOGENICITY: NTP? No IARC MONOGRAI CALIFORNIA, Prop. 65? No SECTION 4 INHALATION: No specific treatment, suspected hazard by this route is minimal. Treatment based on judgment of the physician in response to rea EYES: If in eyes, hold eye open and rinse slowly and gently with water for	produce irritation. Do not allow this product to contact acidic materials as hazardou ritation. PHS? No OSHA REGULATED? No FIRST AID MEASURES Note to Physician: No specific antidote. Supportive care. Ictions of the patient. Do not allow this product to contact lenses, if present, after the first five minutes, the

PRODUCT NAME: PRODUCT NUMBER:

DISPATCH® HOSPITAL CLEANER DISINFECTANT TOWELS WITH BLEACH 69101-Singles DATE: September 9, 2011 69150-150 Piece Canister 69240-40 Piece Soft Pack

SECTION 5 - FIREFIGHTING MEASURES

GENERAL HAZARDS:

Product is minimally flammable FP ≥101°C (215°F). Chlorine may be released from this product in the presence of acids.

EXTINGUISHING MEDIA:

Water fog, carbon dioxide and dry chemical to fight surrounding fire.

FIREFIGHTING PROCEDURES:

Wear SCBA when fighting fires involving this product as a precaution.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None.

HAZARDOUS COMBUSTION PRODUCTS:

Carbon monoxide, Carbon Dioxide, smoke, organic vapors from dried and heated towels in fire conditions.

69260-60 Piece Soft Pack

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Isolate damaged goods. Spills should be diluted with water, then absorbed with sand, clay, or earth. Dispose of saturated absorbent materials appropriately since spontaneous heating may occur.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Ventilation: Good general ventilation should be sufficient for most conditions.

Respiratory Protection: No respiratory protection should be needed.

Protective Clothing: No precautions other than clean body covering clothing should be needed. Gloves are recommended.

Eye Protection: Use safety glasses or equivalent protection to avoid eye contact.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH				ACGIH OSHA				
TIAZARDOUS COMI ONLIVIS	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TLV/TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	
Sodium hydroxide				10 IDLH		2		2	
Sodium metasilicate	NE	NE	NE	NE	NE	NE	NE	NE	
Sodium hypochlorite	NE	NE	NE	NE	NE	NE	NE	NE	
PERSONAL PROTECTION									
RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA's 29 CFR 1910.134, ANSI Z88.2 requirements must be followed whenever workplace concentrations of this product in air exceed the published TLVs.									
PROTECTIVE GLOVES: Impervious rubber or nitrile gloves are	advised if pro	onged or repe	ated exposure	e is likely.					
EYE PROTECTION: Use safety glasses with protective side	e shields to av	oid eye contac	et.						
OTHER PROTECTIVE CLOTHING OF Not required.	REQUIPMEN	T:							
WORK/HYGIENIC PRACTICES: Wash with soap and water after conta	ct.								
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES									
APPEARANCE AND ODOR Solution on a synthetic fabric towel wit	RANCE AND ODOR VAPOR PRESSURE on a synthetic fabric towel with a mild bleach odor. 17.5mmHg at 20°C								
pH 12.2	SPECIFIC GRAVITY (WATER = 1) 1.015 @25°C.								
BOILING POINT/BOILING RANGE 100°C (212°F)									
FLASH POINT >101°C (>215°F)	VISCOSITY NA								
FLAMMABLE LIMITS LEL: NE UEL: N	VAPOR DENSITY (AIR = 1) IE NR								
AUTO IGNITION TEMPERATURE	E EVAPORATION RATE (WATER = 1) NR								

ОСПУ

PRODUCT NAME: DISPATCH® HOSPITAL CLEANER DISINFECTANT TOWELS WITH BLEACH **PRODUCT NUMBER:** 69101-Singles DATE: September 9, 2011 69150-150 Piece Canister 69240-40 Piece Soft Pack 69260-60 Piece Soft Pack **SECTION 10 - STABILITY AND REACTIVITY** Х STABILITY CONDITIONS TO AVOID: STABLE Excessive heat and light exposure. Avoid contact with incompatible materials listed in the following section: INCOMPATIBILITY (MATERIALS TO AVOID): Avoid contact with acids, reducing agents, ammonia or heavy metals such as nickel, cobalt, copper, and iron. HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon Monoxide, Carbon Dioxide (from burning dried towels), and chlorine in the presence of acids. CONDITIONS TO AVOID: HAZARDOUS POLYMERIZATION: Will not occur. None related to polymerization. SECTION 11 - TOXICOLOGICAL INFORMATION LD50 of Ingredient LC50 of Ingredient **Hazardous Components** CAS # (Specify Species and Route) (Specify Species) Oral, rat: LD50 ≥90 mL/kg (in this 1310-73-2 Sodium hydroxide NE product) Oral, rat: LD50 ≥90 mL/kg (in this Sodium metasilicate 6834-92-0 NE product) Oral. mouse: LD50 = 5800 Sodium hypochlorite 7681-52-9 NE mg/kg **SECTION 12 - ECOLOGICAL INFORMATION** No information is available for this blended product. SECTION 13 - DISPOSAL CONSIDERATIONS WASTE DISPOSAL METHOD: Isolate damaged goods. Spills should be diluted with water, then absorbed with sand, clay, or earth. Dispose of saturated absorbent materials appropriately since spontaneous heating may occur. Landfill in a permitted waste disposal facility in accordance with all local, state and federal regulations. SECTION 14 - TRANSPORT INFORMATION PROPER SHIPPING NAME: Not Regulated IATA HAZARD CLASS/Pack Group: DOT HAZARD CLASS/Pack Group: Not Regulated Contact Manufacturer REFERENCE. 49CFR172, 49CFR173 IMDG HAZARD CLASS: **Contact Manufacturer** UN/NA IDENTIFICATION NUMBER: Not Regulated RID/ADR Dangerous Goods Code: Contact Manufacturer LABEL: Not Regulated UN TDG Class/Pack Group: Contact Manufacturer NONE HAZARD SYMBOLS: Hazard Identification Number (HIN): Contact Manufacturer Refer to 49CFR172 and 49CFR173 for pertinent regulations. Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

PRODUCT NAME: DISPATCH® HOSPITAL CLEANER DISINFECTANT TOWELS WITH BLEACH PRODUCT NUMBER: 69101-Singles DATE: September 9, 2011 69150-150 Piece Canister 69240-40 Piece Soft Pack 69260-60 Piece Soft Pack **SECTION 15 - REGULATORY INFORMATION** TSCA (USA - Toxic Substance Control Act): I isted SARA TITLE III (USA - Superfund Amendments and Reauthorization Act): Acute Health: Yes Chronic Health: No Fire: Sudden Release of Pressure: No No Reactive: No 313 REPORTABLE INGREDIENTS: Non-reportable CERCLA (USA - Comprehensive Response Compensation and Liability Act:): CAS# 7681-52-9: 100 lb final RQ; 45.4 kg final RQ. CAS # 1310-73-2: 1000 lb final RQ; 454 kg final RQ. **SECTION 16 - OTHER INFORMATION** NE=Not established Legend: NA=Not applicable NR=Not reported HMIS HAZARD RATINGS 0 = INSIGNIFICANT 2 HEALTH: 1 = SLIGHT 0 FLAMMABILITY: 2 = MODERATE 1 PHYSICAL HAZARD: 3 = HIGHв PERSONAL PROTECTIVE 4 = EXTREME EQUIPMENT: 0 = NONE NFPA HAZARD RATINGS 0 HEALTH: 1 = SLIGHT/LITTLE FLAMMABILITY: 0 2 = MODERATE REACTIVITY: 1 SPECIAL HAZARDS: 3 = HIGH/SERIOUS ΟХ * - Refers to NFPA recognized Hazards Only 4 = EXTREME **REVISION SUMMARY:** Revised with additional information 9/9/2011, supersedes 7/10/2009 version. The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product

and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.