

Distributor: Osceola Supply, Inc. P.O. Box 13503, Tallahassee, FL 32317 (850)580-9800

1. Product and Company Identification

Product Code:	4447	
Product Name:	Color Safe Bleach	
Company Name:	PDQ Manufacturing, Inc. 201 Victory Circle Ellijay, GA 30540	Phone Number: (706)636-1848
Web site address:	www.pdqonline.com	
Emergency Contact:	Chemtrec, Use Company Code: A814	(800)424-9300
Information:	info@pdqonline.com	(706)636-1848

2. Hazards Identification

Oxidizing Liquids, Category 1

Acute Toxicity: Oral, Category 4

Skin Corrosion/Irritation, Category 1A

Acute Toxicity: Inhalation, Category 4



GHS Signal Word: Danger

GHS Hazard Phrases:

- H271 - May cause fire or explosion; strong oxidizer.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H332 - Harmful if inhaled.

GHS Precaution Phrases:

- P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P220 - Keep away from combustible materials.
- P283 - Wear fire/flammable resistant/retardant clothing.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P221 - Take any precaution to avoid mixing with combustibles/...
- P264 - Wash hands thoroughly after handling.
- P270 - Do not eat, drink or smoke when using this product.
- P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
- P271 - Use only outdoors or in a well-ventilated area.
- P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

GHS Response Phrases:

- P371+380+375 - In case of major fire and large quantities: evacuate area and fight fire remotely due to the risk of explosion.
- P370+378 - In case of fire, use methods described in Section 5 to extinguish.
- P306+360 - IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
- P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P330 - Rinse mouth.
- P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
- P363 - Wash contaminated clothing before reuse.
- P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P312 - Call a POISON CENTER or doctor if you feel unwell.

SAFETY DATA SHEET

Color Safe Bleach

Page: 2 of 5

Revision: 08/05/2014

GHS Storage and Disposal Phrases:

P501 - Dispose of contents/container to a licensed professional.
P405 - Store locked up.

Hazard Rating System:

HEALTH		2
FLAMMABILITY		0
PHYSICAL		2
PPE		D

HMIS:



Potential Health Effects (Acute and Chronic):

Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Skin Contact: Causes severe skin irritation and burns.

Eye Contact: Causes severe eye irritation.

Ingestion: Toxic if swallowed.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
7722-84-1	Hydrogen peroxide {Hydrogen dioxide; Hydroperoxide}	<20.0 %

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation: If experiencing respiratory symptoms call a POISON CENTER or doctor/physician. If breathed in, move person into fresh air.

In Case of Skin Contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. Fire Fighting Measures

Flash Pt:**Explosive Limits:**

LEL:

UEL:

Autoignition Pt:**Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. Wear self contained breathing apparatus for fire fighting if necessary.

Flammable Properties and Hazards:

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	<p>Use proper personal protective equipment as indicated in Section 8.</p> <p>Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Personal precautions.</p> <p>Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.</p> <p>Environmental precautions.</p> <p>Prevent further leakage or spillage if safe to do so.</p>
---	--

7. Handling and Storage

Precautions To Be Taken in Handling:	<p>Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.</p> <p>Keep away from sources of ignition - No smoking.</p>
Precautions To Be Taken in Storing:	<p>Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.</p> <p>Recommended storage temperature: 2 - 25 deg.C.</p> <p>Handle and open container with care. Light sensitive.</p>

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7722-84-1	Hydrogen peroxide {Hydrogen dioxide; Hydroperoxide}	PEL: 1 ppm	TLV: 1 ppm	
Respiratory Equipment (Specify Type):	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).			
Eye Protection:	Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).			
Protective Gloves:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands.			
Other Protective Clothing:	Chemical resistant apron.			
Engineering Controls (Ventilation etc.):	There are no special ventilation requirements.			
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			

9. Physical and Chemical Properties

Physical States: ☐ Gas ☒ Liquid ☐ Solid

Appearance and Odor: Clear, water-white liquid
Mild to slightly pungent odor.

Melting Point:

Boiling Point:

Autoignition Pt:

Flash Pt:

Explosive Limits: LEL: UEL:

Specific Gravity (Water = 1): ~ 1.06

Vapor Pressure (vs. Air or mm Hg):

Vapor Density (vs. Air = 1):

Evaporation Rate:

Solubility in Water: Complete

pH: ~ 4.0

Percent Volatile:

10. Stability and Reactivity

Stability: Unstable ☐ Stable ☒

Conditions To Avoid - Excess heat.

Instability:

Incompatibility - Materials To Avoid: Chlorine Bleach, Brass, Iron and iron salts. Powdered metals, Copper, Iron oxides. Zinc, nickel, Bases.

Hazardous Decomposition Or Byproducts: Nature of decomposition products unknown.

Possibility of Hazardous Reactions: Will occur ☐ Will not occur ☒

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information:

Carcinogenicity/Other Information: CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity.
This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: Group 3: Not classifiable as to its carcinogenicity to humans 3.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

SAFETY DATA SHEET

Color Safe Bleach

Page: 5 of 5

Revision: 08/05/2014

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7722-84-1	Hydrogen peroxide {Hydrogen dioxide; Hydroperoxide}	n.a.	3	A3	n.a.

12. Ecological Information

General Ecological Information:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.

13. Disposal Considerations

Waste Disposal Method:	Contact a licensed professional waste disposal service to dispose of this material.
-------------------------------	---

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Hydrogen peroxide, aqueous solutions [with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)]

DOT Hazard Class: 5.1 OXIDIZER

UN/NA Number: UN2984 **Packing Group:** III



15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7722-84-1	Hydrogen peroxide {Hydrogen dioxide; Hydroperoxide}	Yes 1000 LB	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7722-84-1	Hydrogen peroxide {Hydrogen dioxide; Hydroperoxide}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

16. Other Information

Revision Date:	08/05/2014
Preparer Name:	Regulatory Affairs

Additional Information About This Product:

Company Policy or Disclaimer:	The information contained in this Material Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.
--------------------------------------	---